



EMERGENCY TELEPHONE NUMBER
(812) 464-2488
Contact: Michael Speicher

DATE 02-20-01

PRODUCT IDENTIFICATION:

Material No.: RV1147-1

Material Name: Sealant

Material Description: Gray tacky mastic with polyethylene backing

WARNING STATEMENT:

Non-Hazardous Material

PRECAUTIONARY MEASURES:

Normal chemical hygiene should be adequate to handle this material. Wash thoroughly after handling, avoid contact with eyes, do not ingest.

HAZARDOUS INGREDIENTS:

<u>Material Name/CAS #</u>	<u>%</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
----------------------------	----------	-----------------	------------------

This MSDS is prepared to comply with OSHA Hazard Communication Standard 29 CFR 1910.1200. Unlisted Ingredients are not 'hazardous' per this OSHA standard and are considered to be trade secrets.

EMERGENCY AND FIRST AID PROCEDURES:

FIRST AID:

Ingestion: Contact Physician

Skin: Wash with soap and water

Eyes: Flush with water for 15 minutes, seek medical attention.

OTHER EMERGENCIES:

In case of fire: Extinguish with CO₂, foam or dry chemical

Spill or leak: Material poses no special threat if spilled or leaked.



OCCUPATIONAL CONTROL PROCEDURES:

Eye Protection: Not normally required; although, the use of safety glasses is a good industrial practice.

Skin Protection: Not normally required. Wear gloves if prolonged contact is expected.

Respiratory Protection: Not normally required.

Ventilation: Not normally required.

FIRE PROTECTION:

Flash point/method: Not determined

Appropriate Extinguishers: CO₂, foam, or dry chemical

Special Fire Fighting Procedures:
Wear self-contained breathing apparatus when fighting fire.

Unusual Fire and Explosion Hazard: None known

REACTIVITY DATA:

Stability: Stable

Incompatibility: Strong oxidizers

Hazardous Decomposition Products:
Carbon oxides and unidentified organic compounds when burning.

Hazardous polymerization: Will not occur

EFFECT OF OVER EXPOSURE:

Eyes: Mechanical irritation

Skin: May cause mild irritation

Inhalation: Not applicable.

Ingestion: May cause mild gastrointestinal irritation.

Chronic: No known effects.

Existing Health Conditions Affected by Exposure:
No known conditions are aggravated by exposure to this product.

CARCINOGENICITY:	NTP?	IARC?	OSHA?
	No	No	No

PHYSICAL DATA:

Physical State: Gray Solid
Specific Gravity; 1.60

SPILL, LEAK & DISPOSAL INFORMATION:

Spill or Leak Procedure:

Sweep or scrape up and place in appropriate container for disposal.

Waste Disposal:

Observe all Federal, State and Local regulations when disposing of the material. For assistance contact the District Director of the Environmental Protection Agency, local hazardous waste regulations may apply if they are different from the federal regulations. Dispose of in an approved industrial landfill.

Storage:

No special requirements for storage.

EPA INFORMATION:

SARA Title III sections 313 and 302: Contains no listed materials

CERCLA: Contains no listed materials

DOT Shipping Name: Caulking compound NOIBN

The above information is based on MSDS's provided by the suppliers of the raw materials used in this product.

ct#
110941

**MEMO FROM JOHN FORAN
COMPONENT HARDWARE GROUP**

March 1, 2001

**PLEASE SEND A COPY OF AN UPDATED MANUFACTURER SAFETY
DATA SHEET FOR THE PARTS WE PURCHASE TO KEEP IN OUR RECORDS.
THANK YOU FOR YOUR CORPORATION.**

TO HEATHER M. QUAIL

RV1147104

1147-h

From SHARON WIDE

Fax 812-461-5100

tel 812-464-2488 EXT 115

**1890 SWARTHMORE AVE.
LAKEWOOD NJ 08701
PHONE (732) 363-4700 FAX (732) 364-8110**