



MATERIAL SAFETY DATA

SECTION 1. IDENTIFICATION OF THE SUBSTANCE AND MANUFACTURE

PRODUCT NAME: Q75-1366 Sound Deadener
CHEMICAL NAME: Water, Additive Blend
DATE: 8/9/2007
CAS NUMBER: N/A
EINECS NUMBER: N/A
PRODUCT CODE: N/A
SYNONYMS: Sound Dampening Compound
COMPANY NAME: COMPONENT HARDWARE GROUP, INC.
1890 Swarthmore Avenue
Lakewood, NJ 08701
Tel. 800-526-3694, 732-363-4700
Fax. 732-364-8110

IN CASE OF EMERGENCY IN U.S.: 800-526-3694
IN CASE OF EMERGENCY IN EUROPE: +31-76-596-8699

SECTION 2. COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:	CAS=	TLV (Units)	PEL
	*Calcium Carbonate #1317-65-3 and/or #471-34-1	10 mg/m3 (nuisance dust)	5 mg/m3(respirable fraction) 15 mg/m3(total dust)
	*Hydrous Aluminum Silicate #1332-58-7	10 mg/m3 (nuisance dust)	15 mg/m3
	*Mica #12001-26-2	3 mg/m3	20 mg/m3 (nuisance dust)
	Butyl Benzyl Phthalate #85-68-7	Not established	Not established

*This component poses a hazard only if the liquid dries and a dust is formed.

SECTION 3. HAZARD IDENTIFICATION

PRIMARY ROUTES OF ENTRY: Skin absorption; inhalation

ACUTE EFFECTS: May cause severe eye irritation and reversible skin irritation. Prolonged skin exposure may cause dermatitis or oil acne. Breathing mists may cause pulmonary irritation or dizziness. Excessive inhalation may produce dizziness, nausea, headache and lack of coordination.

CHRONIC EFFECTS: Not Determined

CARCINOGENICITY: Calcium Carbonate, Hydrous Aluminum Silicate and Mica: May contain less than 0.1% of Silica Crystalline Quartz (CAS #14808-60-7). IARC Monographs on the evaluations of the Carcinogenic Risk of Chemicals to Humans (Vol. 42, 1987) concludes that there is "limited evidence" of the carcinogenicity of crystalline silica to humans. IARC Classification 2A.

Butyl Benzyl Phthalate: Female rats fed Butyl Benzyl Phthalate in long-term (2 year) studies conducted by the National Toxicology Program (NTP) were reported to show an increased frequency on mononuclear cell leukemia, a common spontaneous disease in the test strain of rat. For this reason, the NTP concluded that Butyl Benzyl Phthalate was "probably carcinogenic" for these rats. Male rats in these studies were terminated after 6 months due to excessive treatment-related deaths. Mice fed Butyl Benzyl Phthalate (2 years) had no increase in tumors. Butyl Benzyl Phthalate has produced no genetic changes in standard tests using animal, bacterial and yeast cells.

PRE-EXISTING MEDICAL CONDITIONS: Exposure may aggravate pre-existing respiratory or skin problems.

MATERIAL SAFETY DATA

SECTION 4. FIRST AID MEASURES

EYE CONTACT: In case of contact with material, immediately flush eyes with running water for at least 15 minutes. Seek immediate medical attention.

SKIN CONTACT: Wash skin with soap and water. Remove and isolate contaminated clothing and shoes at the site.

INHALATION: Move victim to fresh air and call emergency medical care. If not breathing, give artificial respiration; if breathing is difficult, give oxygen.

INGESTION: DO NOT INDUCE VOMITING. Consult a physician. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into the lungs.

SECTION 5. FIRE-FIGHTING MEASURES

FLASH POINT: > N/A

FLAMMABLE LIMITS: Not Determined

LOWER: Not Determined

UPPER: Not Determined

FIRE EXPLOSION HAZARDS: None

EXTINGUISHING MEDIA: Small Fires: Dry chemical, CO₂, water spray, or regular foam. Large Fires: Water spray, fog, or regular foam.

FIRE FIGHTING PROCEDURES: Move container from fire area if you can do it without risk. Apply cooling water to sides of containers that are exposed to flames until well after fire is out. Fire may produce irritating or poisonous gases. Positive pressure self-contained breathing apparatus (SCBA) and structural firefighters' protective clothing will provide limited protection.

SECTION 6. ACCIDENTAL RELEASE MEASURES

SMALL SPILLS: Take up with sand or other noncombustible absorbent material and place into containers for later disposal.

LARGE SPILLS: Dike far ahead of liquid spill for later disposal.

SECTION 7. HANDLING AND STORAGE

STORAGE: Store in cool, well-ventilated area. Keep away from flames, sparks or hot surfaces.

HANDLING: Dried coating will burn, so follow good work practices when cutting or welding on or near empty containers. Never wear contaminated clothing. Wash thoroughly with soap and water after use and before smoking or eating. Avoid excess skin contact.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

PERMISSIBLE EXPOSURE LEVEL:

EYE AND FACIAL: Safety glasses with side shields or chemical goggles.

SKIN: Protective Gloves- Impervious gloves (Viton, PVOH, etc.)

RESPIRATORY: NIOSH-approved respirator for organic vapor and mist to control exposure where ventilation is inadequate.

VENTILATION: General and local exhaust.

OTHER: If splashing is anticipated, wear rubber apron and boots or other protective equipment to minimize contact.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: 212°F (°C)

SOLUBILITY: Miscible

pH: Not Determined

PERCENT VOLATILE: 59%

VAPOR DENSITY (AIR=1): >1

VAPOR PRESSURE: (mmHg@20°C (°F)): Not Determined

EVAPORATION RATE (BUTYL ACETATE=1): 1

SPECIFIC GRAVITY (WATER=1): 1.47

APPEARANCE & ODOR: Beige/Light Gray. Thixotropic Paste.
Mild odor.

VOC CONTENT (Theoretical, in LBS./GAL.): 12.5

SECTION 10. STABILITY AND REACTIVITY

STABILITY: Stable

REACTIVITY: Strong acids, oxidizing agents

HAZARDOUS DECOMPOSITION INGREDIENTS: Carbon monoxide, carbon dioxide, miscellaneous hydrocarbons.

HAZARDOUS POLYMERIZATION: Will not occur

MATERIAL SAFETY DATA

SECTION 11. TOXICOLOGICAL INFORMATION

THIS MATERIAL SHOWS "LIMITED EVIDENCE" OF THE CARCINOGENICITY OF CRYSTALLINE SILICA TO HUMANS.
IARC CLASSIFICATION 2A.

HMIS HAZARD CLASS: Health=1 Flammability=0 Reactivity=0 Other=N/A
RANKING: 0=Least 1=Slight 2=Moderate 3=High 4=Extreme

SECTION 12: ECOLOGICAL INFORMATION

NONE

SECTION 13: DISPOSAL CONSIDERATONS

DISPOSAL: Waste Disposal Methods: Dispose of in accordance with State, Local and Federal regulations. Materials may become a hazardous waste through use. If permitted, incineration may be practiced.

SECTION 14: TRANSPORT INFORMATION

SHIPPING NAME: Sound Deadening Compound

HAZARDOUS CLASS: N/A

SECTION 15: REGULATORY INFORMATION

Volatile Organic Content: (Calculated Values)

VOC per gallon: 0 lbs/gal

EPA Hazardous Waste Number(s) (40CFR Part 261): Not Applicable

EPA Hazard Category (40CFR Part 370): DELAYED (CHRONIC)

SARA TITLE III

This product contains the following TOXIC CHEMICALS subject to the *Reporting Requirements of Sec. 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986, and of 40CFR Part 372:*

CHEMICAL- Butyl Benzyl Phthalate CAS NO. 85-68-7 WT 2-4

This product contains the following EXTREMELY HAZARDOUS SUBSTANCE(S) subject to the *Emergency Planning Requirements under Sec. 301-303 (40CFR Parts 300 and 355) and Emergency Release Notification Requirements under Sec. 304:*

CHEMICAL- NONE CAS NO. WT % RQ/TPQ Lbs

(CERCLA LIST) This product contains the following HAZARDOUS SUBSTANCE(S) subject to *Emergency Release Notification Requirements under Sec. 304 (40 CFR Part 302):*

CHEMICAL- Butyl Benzyl Phthalate CAS NO. 85-68-7 WT % 2-4 Final RQ Lbs 100

CALIFORNIA PROPOSITION 65

This product contains chemicals that are identified by the State of California under the Safe Drinking Water and Toxic Reinforcement Act of 1986 ("Proposition 65") as either a carcinogenic or reproductive hazard:

Contains: Butyl Benzyl Phthalate 85-68-7 2-4%

MATERIAL SAFETY DATA

SECTION 16: OTHER INFORMATION

ISSUE DATE: 8/9/07

REVISION DATE: 8/13/2010

FOR ASSISTANCE ON THIS PRODUCT IN EUROPE: CHG EUROPE B.V.

Hazeldonk 6475

4836 LH Breda

The Netherlands

Tel. +31-76-596-8699, Fax. +31-76-596-3114

IN CASE OF EMERGENCY IN EUROPE: +31-76-596-8699

NOTE: The information contained herein has been checked and is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results and assume no liability for damages incurred by the use, contact or handling of this material. This information should only be used as a guide. It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations.